



MEGIN M







MEGIN M RA70 / IP67 / IK08
 Die-cast aluminium body grey RAL9006
 Polycarbonate cover
 Optical system with lens
 Recommended mounting height 5-12m
 Lifetime: 100.000h / L80
 On request: Dali / 1-10V / 8 different light distribution curves / 50%-100% dimming

MEGM26L01	26W / 4500K / 2950lm / 5-8m	€ 732,40
MEGM35L01	35W / 4500K / 3950lm / 5-8m	€ 763,90
MEGM44L01	44W / 4500K / 4950lm / 7-10m	€ 815,95
MEGM62L01	62W / 4500K / 6900lm / 7-10m	€ 858,25
MEGM80L01	80W / 4500K / 8900lm / 7-10m	€ 907,95
MEGM97L01	97W / 4500K / 10850lm / 8-12m	€ 994,60
MEGM115L01	115W / 4500K / 12800lm / 8-12m	€ 1047,45





WALLSUP15	Wall support 0,15m	€ 83,00
WALLSUP1.5	Wall support 1,5m	€ 400,00



MEGIN L



MEGIN L RA70 / IP67/ IK08

Die-cast aluminium body grey RAL9006

Polycarbonate cover


Optical system with lens

Recommended mounting height 5-12m



Lifetime: 100.000h / L80

On request: Dali / 1-10V / 8 different light distribution curves / 50%-100% dimming

MEGL18250L01	166W / 4500K / 18250lm / 8-12m	€ 1549,70
MEGL20100L01	183W / 4500K / 20100lm / 8-12m	€ 1555,35
MEGL23000L01	209W / 4500K / 23000lm / 10-15m	€ 1649,75



WALLSUP15	Wall support 0,15m	€ 83,00
WALLSUP1.5	Wall support 1,5m	€ 400,00



SEMAI



SEMAI IP65 / 4500K
 Body die-cast aluminium (RAL 9006)
 Cover transparent glass
 Service life time 100.000 hrs / L80
 Operating temperature -40°C up tot +40°C
 Lens types L01 standard (other on request)
 On request:
 Intelligent dimming (bi-level 50%-100% output)
 DALI / 1-10V Dimming
 Different light distribution curves

SEM27L01	27W / 2950lm / 745 / 7,6 kg	€ 555,85
SEM36L01	36W / 3950lm / 745 / 7,6 kg	€ 585,70
SEM45L01	45W / 4950lm / 745 / 7,6 kg	€ 669,65
SEM54L01	54W / 5950lm / 745 / 7,6 kg	€ 687,60
SEM63L01	63W / 6950lm / 745 / 7,6 kg	€ 720,05
SEM81L01	81W / 8900lm / 745 / 7,6 kg	€ 760,40

LOR = 100%
 LOWER FLUX FRACTION = 100%
 UPPER FLUX FRACTION = 0%

WALLSUP15	Wall support 0,15m	€ 83,00
WALLSUP1.5	Wall support 1,5m	€ 400,00

STAINLESS WALLSUPPORT FOR STREETLIGHTS

VULKAN



1 BOARD



2 BOARD



3 BOARD




4 BOARD




VULKAN 3631 / 200MA / IP66 / IK08
6 different light distributions
Body die-cast aluminium power coated RAL7035

V3631012740	1200lm / 4000K / 1 board	€ 817,70
V3631023740	2300lm / 4000K / 2 board	€ 1010,10
V3631035740	3500lm / 4000K / 3 board	€ 1147,00
V3631048740	4800lm / 4000K / 4 board	€ 1291,30




VULKAN 3632 / 300MA / IP66 / IK08
6 different light distributions
Body die-cast aluminium power coated RAL7035

V3632017740	1700lm / 4000K / 1 board	€ 817,70
V3632033740	3300lm / 4000K / 2 board	€ 1010,10
V3632050740	5000lm / 4000K / 3 board	€ 1147,00
V3632068740	6800lm / 4000K / 4 board	€ 1291,30




VULKAN 3633 / 500MA / IP66 / IK08
6 different light distributions
Body die-cast aluminium power coated RAL7035

V3633026740	2600lm / 4000K / 1 board	€ 817,70
V3633052740	5200lm / 4000K / 2 board	€ 1010,10
V3633078740	7800lm / 4000K / 3 board	€ 1147,00
V3633105740	10500lm / 4000K / 4 board	€ 1291,30



VULKAN 3634 / 700MA / IP66 / IK08
6 different light distributions
Body die-cast aluminium power coated RAL7035

V3634035740	3500lm / 4000K / 1 board	€ 817,70
V3634068740	6800lm / 4000K / 2 board	€ 1010,10
V3634105740	10500lm / 4000K / 3 board	€ 1147,00
V3634140740	14000lm / 4000K / 4 board	€ 1291,30






SQUARE




Modular LED system with integrated electronics
 5 years warranty on led modules
 20 years availability of parts
 Housing aluminium die-casting, painted similar to DB703
 Mounting height 4-6 meter

Technical data:
 Modules 8 leds / 240V / 25W / IP65 / IK04 / 4000K / Ra73
 Bi-level output 50% / 100% by phase-shedding
 Area exposed to wind FW = 0,15m²
 Luminous flux over lifetime = 80% after 50.000 hours
 Pole not included



Stand-alone Led module
 Easy replacement



STREETLINE SQUARE
 Mast connecting 76mm
 Dimensions: A = 700 x 700mm / H110mm / 15,5kg
 Power: 4 x 25W / Class II / power factor 0.95

SQ6800S4	SQUARE light distribution	€ 2756,00
SQ6800C4	CORNER light distribution	€ 2756,00
SQ6800A4	ASYMMETRIC light distribution	€ 2756,00

