






# Product data sheet

## BELGIUM 3

210lm 3W 60°



<b>Description</b>	Garden Lighting
<b>Dimensions (mm)</b>	66mm x 91mm x 103mm
<b>Weight (kg)</b>	0,66kg
<b>Housing</b>	Die-cast aluminium
<b>Colour</b>	Anthracite
<b>Optical system</b>	Reflector 20°
<b>Lighting Distribution</b>	Direct
<b>Unified Glare Ratio</b>	<23
<b>Colour temperature (K)</b>	3000K
<b>CRI (Ra)</b>	80
<b>SCDM</b>	3
<b>Net lumen output (25°C)</b>	210lm
<b>Efficacy – LOR (lm/W)</b>	70lm/W
<b>Power (driver incl.)</b>	3 W
<b>Driver</b>	Driver incorporated
<b>IP</b>	IP 65
<b>IK</b>	IK 08
<b>Lifetime (hours)</b>	50.000 hours L80 B10
<b>Warranty</b>	3 years
<b>Origin</b>	Spain
<b>Norms</b>	LVD 2006/95/EC EMC 2004/108/EC RoHS 2001/65/EC ISO 9001:2008
<b>Marks</b>	 




All specifications, descriptions and images are purely informative, not binding and subject to errors and changes

Euro-Luce Light Engineering  
Ballingsweg 25 – 9620 Zottegem  
[info@euro-luce.be](mailto:info@euro-luce.be)  
[www.euro-luce.be](http://www.euro-luce.be)  
Tel 0032 54 55 71 10



# Product data sheet

## BELGIUM 9

630lm 9W 20°



<b>Description</b>	Garden Lighting
<b>Dimensions (mm)</b>	105mm x 142mm x 105mm
<b>Weight (kg)</b>	1,2kg
<b>Housing</b>	Die-cast aluminium
<b>Colour</b>	Anthracite
<b>Optical system</b>	Reflector 20°
<b>Lighting Distribution</b>	Direct
<b>Unified Glare Ratio</b>	<23
<b>Colour temperature (K)</b>	3000K
<b>CRI (Ra)</b>	80
<b>SCDM</b>	3
<b>Net lumen output (25°C)</b>	630lm
<b>Efficacy – LOR (lm/W)</b>	70lm/W
<b>Power (driver incl.)</b>	9 W
<b>Driver</b>	Driver incorporated
<b>IP</b>	IP 65
<b>IK</b>	IK 08
<b>Lifetime (hours)</b>	50.000 hours L80 B10
<b>Warranty</b>	3 years
<b>Origin</b>	Spain
<b>Norms</b>	LVD 2006/95/EC EMC 2004/108/EC RoHS 2001/65/EC ISO 9001:2008
<b>Marks</b>	




All specifications, descriptions and images are purely informative, not binding and subject to errors and changes

Euro-Luce Light Engineering  
Ballingsweg 25 – 9620 Zottegem  
[info@euro-luce.be](mailto:info@euro-luce.be)  
[www.euro-luce.be](http://www.euro-luce.be)  
Tel 0032 54 55 71 10



# Product data sheet

## BELGIUM 12

840lm 12W 20°



<b>Description</b>	Garden Lighting
<b>Dimensions (mm)</b>	124mm x 157mm x 125mm
<b>Weight (kg)</b>	1,5kg
<b>Housing</b>	Die-cast aluminium
<b>Colour</b>	Anthracite
<b>Optical system</b>	Reflector 20°
<b>Lighting Distribution</b>	Direct
<b>Unified Glare Ratio</b>	<23
<b>Colour temperature (K)</b>	3000K
<b>CRI (Ra)</b>	80
<b>SCDM</b>	3
<b>Net lumen output (25°C)</b>	840lm
<b>Efficacy – LOR (lm/W)</b>	70lm/W
<b>Power (driver incl.)</b>	12 W
<b>Driver</b>	Driver incorporated
<b>IP</b>	IP 65
<b>IK</b>	IK 08
<b>Lifetime (hours)</b>	50.000 hours L80 B10
<b>Warranty</b>	3 years
<b>Origin</b>	Spain
<b>Norms</b>	LVD 2006/95/EC EMC 2004/108/EC RoHS 2001/65/EC ISO 9001:2008
<b>Marks</b>	



All specifications, descriptions and images are purely informative, not binding and subject to errors and changes

Euro-Luce Light Engineering  
Ballingsweg 25 – 9620 Zottegem  
[info@euro-luce.be](mailto:info@euro-luce.be)  
[www.euro-luce.be](http://www.euro-luce.be)  
Tel 0032 54 55 71 10